

MRP1000 Series Modular Regulator Panel

Key Features

- Pressure and On/Off Control of Gas at Point of Use
- Optional Second Outlet
- Inlet Pressure UP to 1000 PSIG
- Brass* or Stainless Steel** Construction
- Inlet & Outlet Fittings can be located either on the top or at the bottom of the panel at the customer's request

Specifications

Type of Regulator	High Purity, bar stock, Single-Stage
Delivery Pressure	Up to 500 PSIG
Type of Gas	All (Including Corrosive Gases)
Outlet Valves Available	Instrumentation Ball Valves or Diaphragm Valves

Suitable for:

<ul style="list-style-type: none"> • Inert Gases • Oxidizing Gases • Flammable Gases • Corrosive Gases 	<ul style="list-style-type: none"> • General Purpose • High Purity • Ultra High Purity
--	---

* Brass Fittings with Copper Tubing

** Stainless Steel Fittings with Stainless Steel Tubing

Ordering Information

MRP1000 - [] - [] - [] - [] - [] - []

Gas	Inscribe
Air	CGA 346
Inert gases	CGA 580
Carbon Dioxide	CGA 320
Combustible Gases	CGA 350
Corrosive Gases	CGA 660
Nitrous Oxide	CGA 326
Oxygen	CGA 540
Other gas: Please Specify	

Material of Construction	Inscribe
Brass fittings with copper tubing	B
Stainless Steel fittings and copper tubing	SS

No. of Outlets	Inscribe
Maximum 2	

Options	Inscribe
Bottom Inlet	BI
Top Outlet	TO
Special Panel Color	SPEC
3/8" Compression Inlet/Outlet	375C
1/8" Compression Inlet/Outlet	125C
Diaphragm Valve	DV

Mounting Panel	Inscribe
Anodized Aluminum	AL
Powder Coated Steel (Standard color is light gray)	ST

Delivery Pressure	Inscribe
1-15 PSIG	15
2-50 PSIG	50
5-125 PSIG	125
10-250 PSIG	250
25-500 PSIG	500

